
K/5 BLAZER MODEL SELECTOR




SERIES	ENGINE	MODEL No.
610	6 cyl.	CS10514
C10	8 cyl.	CE10514
K10	6 cyl.	KS10514
(4-Wheel-Drive)	8 cyl.	KE 10514

STANDARD SPECIFICATIONS

(See Blae Tab Section for Specification Details)

Series	C 10	K10
Engine		
Base equip—6 cyl.	250–6	250–6
—8 cyl	307-V8	307-V8
Clutch—6 cyl	10", 100 sq. in.	10", 100 sq. in.
—8 cyl	11", 124 sq. in.	11", 124 sq. in.
Air Filter		-paper element
Oil Filter		away type 1-qt.
Exhaust System		le; aluminized
Exhaust Emission Control	-	l Combustion System
Exhiust Emission Connor		Light Duty
Suspension, Front	Independent	Hypoid Driving Axle
Туре	Coil Springs	Leaf Springs
Axle Capacity	3100 lb.	3300 lb.
Axle Ratio	_	3.73
Springs @ ground	1450 lb. ea.	1450 lb. ea.
Shock Absorbers	l" dia.	l" dia.
Suspension, Rear	Hypoi	id Driving Axle
Type	Coil Springs	Leaf Springs
Axle Capacity	3500 lb.	3500 lb.
Axle Ratio	3.73	3.73
Springs, Main @ ground	1450 lb. ea.	2000 lb. ea.
Shock Absorbers	1430 lb. ed. 1" dia.	1" dia.
Brakes		lic; Self-adjusting
Front	Disc; 11.86" rotor	Disc; 11.86" rotor
Rear	Drum; 11" x 2"	Drum; 11" x 2"
Booster		de Diaphragm
Parking	Cable	to Rear Wheels
Electrical	12 Volt	; negative ground
Battery-6 cyl.		45 amp.
—8 cyl		61 amp.
Delcotron Generator		37 amp.
	Carbon	Steel; 39,000 psi
Frame Section Modulus		2.70
Fuel Tank (nominal capacity)		21 gal.
Steering	Reci	irculating Ball
Transmission	Fully-syn	achronized 3-Speed
Shift Location	Ste	ering Column
Transfer Case	_	2-Speed Dana 20
Shift Lever	_	Single Lever
PTO Opening		Bottom
	(0)	
Tires	(5) 1	E78-15B (4PR)
Wheels		(5) Disc
	Ī	15" x 6.0"

^{*}California requires Air Injection Reactor system.



Models Engine → Dimensions (in) ★			Curb	Weight	s (lb)	Gro Clearan					
_	No. Cyl.	WB	LL	OL	ОН	GT	Front	Rear	Total	Front	Rear

C10 SERIES

CS10514 CE10514	6 8	104	751/4	180½	(a)66¼	261/2	1935 2046	1576 1595	3511 3641	71/2	7
--------------------	--------	-----	-------	------	--------	-------	--------------	--------------	--------------	------	---

⁽a) Dimension 70" with optional top

K10 SERIES

KS10514 6 8 104 7	751/4 1801/2 (b)681/2	29 213 225		3778 3913	7	7
--------------------------	-----------------------	---------------	--	--------------	---	---

⁽b) Dimension 72" with optional top

 $[\]star$ Dimensions with std equipment, unloaded.

POWER TEAMS

ENGIN	ES	TRANSMISSIONS		REA	R AXLES*	
Option Number and Model Model Option (Standard or Optional)			Transfer Case	Type and Capacity	Rati With S Rear W	ingle
Application		_			Standard	Optional

C10 SERIES

■Standard	250-cu-in Six	3-Speed Manual (Std)—ZW4	_	Chevrolet 3500	3.73	3.07 or 4.11
6-Cylinder on CS10		4-Speed (Chevrolet CH465)—M20		Chevrolet 3500	3.73	3.07 or 4.11
models		Turbo Hydra-matic—M49	_	Chevrolet 3500	3.73	3.07 or 4.11
•Standard	307-cu-in V8	3-Speed Manual (Std)—ZW4	_	Chevrolet 3500	3.73	3.07 or 4.11
8-Cylinder on CE10		4-Speed (Chevrolet CH465)—M20		Chevrolet 3500	3.07	3.73 or 4.11
models		Turbo Hydra-matic—M49	_	Chevrolet 3500	3.07	3.73 or 4.11
■Option LS9 on CE10 models	350-cu-in V8	4-Speed (Chevrolet CH465) (Std)—ZW4	_	Chevrolet 3500	3.07	3.73 or 4.11
		Turbo Hydra-matic—M49	_	Chevrolet 3500	3.07	3.73 or 4.11

K10 SERIES

Standard 6-Cylinder on KS10	250-cu-in Six	3-Speed Manual (Std)—ZW4	Dana #20	Chevrolet 3300	3.73	
models	307-cu-in V8	4-Speed (Chevrolet CH465)—M20	New Process 205	Chevrolet 3300	3.73	_
•Standard 8-Cylinder on KE10 models	307-cu-in vo	Turbo Hydra-matic—M49	New Process 205	Chevrolet 3300	3.73	-
■Option 350-cu-in V8 LS9 on	4-Speed (Chevrolet CH465) M20	New Process 205	Chevrolet 3300	3.07	3.73	
KE10 models		Turbo Hydra-matic—M49	New Process 205	Chevrolet 3300	3.07	3.73

[★] Positraction rear axle also available.

ENGINE RATINGS

(Engine ratings shown below are S.A.E. net ratings @ 85° F)

	250 Si×	307 V8	350 V8
Net Horsepower Net Torque, lb-ft		135 @ 4000 rpm 230 @ 2400 rpm	175 @ 4000 rpm 290 @ 2400 rpm

Available for registration in the State of California when California Assembly Line Emission Test (Option YF5) is applied.

[•] Not available for registration in the State of California.

→GVW SELECTOR

GVW	Minimum I	Minimum Equipment Required for GVW Rating					
Rating (lb)	Tires, Front	Tires, Rear	Chassis Equipment				

C10 SERIES

4600	E78-15B(4PR) (TL)	E78-15B(4PR) (TL)	Standard	
4900	G78-15B(4PR) (TL or TB)	G78-15B(4PR) (TL or TB)	Dianata	
5400	H78-15B(4PR) (TL)	H78-15B(4PR) (TL)	2000-lb ea rear spring	
5400	7.00-15C(6PR) (TB)	7.00-15C(6PR) (TB)	2000 12 04 1041 571115	

K10 SERIES

4600	E78-15B(4PR) (TL)		E78-15B(4PR) (TL)	
	G78-15B(4PR) (TL or TB)		G78-15B(4PR) (TL or TB)	
5200	6.50-16C(6PR) (TB)	or -	6.50-16C(6PR) (TB)	Standard
	H78-15B(4PR) (TL)		H78-15B(4PR) (TL)	
5850	7.00-15C(6PR) (TB) (TT)	or ·	7.00-15C(6PR) (TB) (TT)	

TL—Tubeless TB—Tube Type TT—Truck Type

K/5 BLAZER 1972 MODELS WITH STANDARD EQUIPMENT

Model Number and Description Wheel- base	Factory D & H§	List Price	Mfr's Sgt'd Retail Price*	Desti- nation Charge & Group Number	Total
■6-Cylinder High Torque 250 Engine					
C10 Series 2-Wheel Drive					
CS10514 Utility	\$12.25	\$2575.00	\$2587.25	17	
K10 Series 4-Wheel Drive					
KS10514 Utility	12.25	3131.00	3143.25	18	
*8-Cylinder High Torque 307 Engine					
C10 Series 2-Wheel Drive	10.05	0000 00	0700 07	4.77	
CE10514 Utility	12.25	2690.00	2702.25	17	
KIO Series 4-Wheel Drive	10.05	2246.00	2050 05	18	
KE10514 Utility 104"	12.25	3246.00	3238.25	10	

★Manufacturer's Suggested Retail Prices do not include state and local taxes, license fees, options or accessories.
■Available for registration in the State of California when California Assembly Line Emission Test (Option YF5) is applied.

■Available for registration in the State of California when ◆Available for registration in the State of California when Test is applied. OPTIONS AND ACCESSO	optional 350	engine is o	rdered ar	nd California A	ssembly Lin	e Emission
Description	Option Number	Add Weig (F)	ght	Factory D & H§	List Price	Mfr's Suggested Retail Delivered Price�
	MODEL (OPTION	<u> </u>			
cst: K10 models available only when G78-15/B or larger tires are ordered. Includes vinyl bucket seats; console; RH sunshade and armrest; cigar lighter; nameplates; special insulation; undercoating; chromed bumpers; bright control knob and pedal trim; bright windshield, body side, tailgate, taillight and back-up light moldings; bright fuel filler cap and side marker reflectors. K10 models also include bright transfer case shift levers. With auxiliary top. Also includes door and body trim panels with bright upper retainers; spare tire cover and front color-keyed carpeting. HIGHLANDER CLOTH INTERIOR TRIM IS ALSO AVAILABLE. SEE INTERIOR TRIM OPTIONS PLUS INTERIOR AND EXTERIOR COLOR SELECTION CHART FOR AVAILABILITY AND ORDERING INFORMATION. Without auxiliary top. Available only when door glass is ordered. Also includes front color-keyed vinyl coated.	Z Z84	10	15	_	\$355.00	\$355.00
rubber floor mat	Z84 ER TEAMS	10 S AND	6 AXIFS		293.00	293.00
				-	4:\	
(See Power Teams Chart Engine: 350 V8. CE-KE10 models only. Available only wher optional transmission is ordered. Available for registration in the State of California. Includes 4-barrel carburetor and 12	n n	bility and	a compi	ere specifica	rions)	
coil clutch Transmissions:	. LS9	21	6		43.00	43.00
Turbo Hydra-matic. K10 models available only when G78- 15 or larger tires are ordered. Chevrolet 4-Speed. Available only when G78-15 or large tires are ordered. CS-KS10 models includes HD clutch	. M4 9	12	5	_	236.00	236.00
C10 models only K10 models only Axles, Rear:		(a) 116	39		103.00 108.00	103.00 108.00
3.07 Řatio. C10 models only With 3-speed or 4-speed transmission CS10 models with Turbo Hydra-matic transmission 3.73 Ratio	. HO1	0 0 0	0 0 0	<u> </u>	12.00 18.00 12.00	12.00 18.00 12.00
4.11 Ratio. C10 models only With 250 or 307 engine	. H04	0	0		12.00	12.00
With 350 engine With 4-speed transmission	. H04	9	2	-	12.00	12.00

H04

H04

H04

G80

9

9

ŏ

2

223

With 4-speed transmission

tioning. Includes HD cooling......

With Turbo Hydra-matic transmission without air condi-

With Turbo Hydra-matic transmission and air conditioning

12.00

14.40 12.00 64.00

12.00

14.40 12.00 64.00

Positraction.

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

[♦] State and local taxes not included.

(a) 6-cylinder models (F) 78 (R) 21; 8-cylinder models (F) 63 (R) 17.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Description	Option Number	Add Wei (F)	ght	Factory D & H§	List Price	Mír's Suggested Retail Delivered Price⊹
ОТНІ	ER OPTIC	NS				
Air Cleaner: Poly-Wrap	K43	0	0		\$ 10.00	\$ 10.00
Air Conditioning, All-Weather: V8 models with G78-15 or larger tires only. Includes HD radiator and 61-amp generator.		87	10	_	410.00	410.00
Batteries: 12-volt						
Auxiliary. 45-amp-hr, 9-plate. K10 models available only when G78–15/B or larger tires are ordered	TP2	53 (c) 9	=	46.00 16.00	46.00 16.00
Bumpers: Chromed. Front and rear. Included when CST is ordered.		0	0		31.00	31.00
California Assembly Line Emission Test: Released to conform with State of California registration requirements. Not available when 307 engine is ordered		0	0	_	15.00	15.00
Caps, Hub: Chromed. Not available when 10.00-16.5/C tires are ordered	;					
C10 models only		0 2	0 2	<u>-</u>	10.00 13.00	10.00 13.00
Clutch, Heavy-Duty: Diameter 11". Available on CS-KS10 models with standard 3-speed transmission only. Included when Chevrolet 4-speed transmission is ordered	l	2	1	_	6.50	6.50
Cooling: HD radiator only. Included when air conditioning or when combination of 350 engine with Turbo Hydra-matic transmission and 4.11 ratio rear axle is ordered		(l	p)		26.00	26.00
Gauges: Ammeter, temperature and oil pressure Tachometer, ammeter, temperature and oil pressure		1 2	0	-	12.00 56.00	12.00 56.00
Generators: 42-amp Delcotron. Not available when air conditioning is ordered		1	0	_	23.00	23.00
61-amp Delcotron. Included when air conditioning is ordered	d K76	1	0	_	31.00	31.00
Glass, Door: Frameless drop glass windows and framed ven window glass. Included when auxiliary top is ordered. Without CST	t . A09	N.A.	N.A.	_	41.00	41.00
With CST. Also included chromed vent window moldings			N.A.		51.00	51.00
Glass, Soft-Ray: All windows. Available only when auxiliary top or door glass is ordered.		0	0		18.00	18.00
With door glass only		ŏ	ŏ	_	30.00	30.00
Guards, Door Edge	. B93	0	0		6.00	6.00
Hubs, Front Free-Wheeling: K10 models only. Manua control at hubs	l . F76	9	0	_	75.00	75.00
Lighter, Cigar: Included when CST is ordered	. U37	0	0		5.00	5.00
Mirrors, Exterior: Camper type. Driver and passenger Stainless Steel	. DF2	7	2		50.00	50.00
Moldings, Custom: Included when CST is ordered. Include bright metal lower fender, door and body side moldings; tail light and back-up light moldings plus bright fuel filler cap.	-	2	4	_	46.00	46.00
Paint, Exterior: Solid color. See Color and Trim Chart.		0	0	_	N.C.	N.C.
Plate, Fuel Tank Skid: K10 models only		37	25	_	51.00	51.00
Plate: Serial Number (State of Pennsylvania) "K" Plate Available only when H78-15, L78-15 or 7.00-15 tires an HD rear springs are ordered	d	0	0	_	N.C.	N.C.

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

[♦] State and local taxes not included.

⁽a) 6-cylinder models (F) 14 (R) -2; 8-cylinder models (F) 2 (R) 0.

⁽b) 6-cylinder models (F) 4 (R) -1; 8-cylinder models (F) 6 (R) -1.

OPTIONS AND ACCESSORIES WHEN INSTALLED BY CHEVROLET

Description	Option Number	Add Wei (F)		Factory D & H §	List Price	Mfr's Suggested Retail Delivered Price
Radios: Pushbutton control. Includes front antenna AM		7	2		\$ 67.00	\$ 67.00
AM/FM	U69	7	2		145.00	145.00
Seats, Front: Auxiliary, One-Passenger. Not available when bucket seats or CST is ordered. Includes RH sunshade, armrest and seat belt.	:	25	30		78.00	78.00
Bucket, Driver and Passenger. Included when CST is ordered. Includes console, RH sunshade, armrest and seat belts. Without auxiliary top. Also includes front compartment		20	30		10.00	10.00
color-keyed vinyl coated rubber floor mat	A50	16	17		162.00	162.00
With auxiliary top. Also includes front compartment color- keyed carpeting		16	17		182.00	182.00
Seat, 3-Passenger Rear: Seat trim matches front seat. Available only when H78-15, L78-15 or 7.00-15 tires are ordered. Includes LH and RH rear armrests and (3) seat belts. C10 models also include HD rear springs. With standard front seat. Also includes black embossed rub.		10	••		102.00	102.00
ber rear floor mat With bucket seats with auxiliary top. Also includes color-	AS3	3	135	_	121.00	121.00
with bucket seats with auxiliary top. Also includes color- keyed rear floor carpeting. With bucket seats without auxiliary top. Also includes color-	AS3	3	135		121.00	121.00
keyed vinyl coated rubber rear floor mat		3	135	_	121.00	121.00
Shock Absorbers:						
Front and Rear. Heavy-duty Rear. Heavy-duty Superlift Rear. C10 models only	G68	0	a) 3 4	_ _ _	15.00 8.00 46.00	15.00 8.00 46.00
Springs, Heavy-Duty:						
Front	ECO	,			0.00	0.00
Capacity 1550-lb each. C10 models only	7	2	ь)	_	6.00 32.00	6.00 32.00
Rear. Capacity 2000-lb each. C10 models only. Included when rear seat is ordered	l	0	7	_	18.00	18.00
Stabilizer, Front: C10 models only		19	0	_	18.00	18.00
Steering, Power:			Ū		10.00	10.00
C10 models only K10 models only. Available only when G78–15/B or larger	. N4 0	33	0	_	128.00	128.00
tires are ordered	. N4 0	33	0		144.00	144.00
Steering Wheel, Comfortilt: Available only when optiona transmission is ordered		2	0		56.00	56.00
Throttle Control: Manual		1	0		14.00	14.00
Tires and Wheels: See following page		•	Ū		1 1.00	11.00
Top, Auxiliary: Fiberglass with textured paint. K10 models available only when G78-15 or larger tires are ordered. In cludes rear side windows, front door vent windows and frame less drop glass, upper lift gate with fixed rear window, courtest lamps, shoulder belt anchor, RH sunshade and LH coat hoof	- - , , ,					
WhiteBlack		30 30	155 155	_	313.00 313.00	313.00 313.00
Towing Device: Two front towing hooks. K10 models only		16	-3		18.00	18.00
Trim, Highlander Plaid Interior: Available only when auxiliary top and CST are ordered. Includes black carpeting instrument panel, steering column and wheel. See Interio. and Exterior Color Selection Chart for availability and	n , r					
ordering information		N.A.	N.A.		56.00	56.00
Wheel Covers: Not available when 6.50-16 or 10.00-16.5 tires are ordered	5					
Bright Metal Cl0 models only	. PO1	4	4		26.00	26.00
K10 models only. Front units contain hub clearance holes	. PO1	4	4		29.00	29.00
Special. C10 models only	. PAl	N.A.	N.A.		41.00	41.00

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires.

 $[\]otimes$ State and local taxes not included.

⁽a) C models (F) 4 (R) 4; K models (F) 3 (R) 3.

⁽b) CS models (F) 2 (R) 0; CE models (F) 16 (R) 0.

(Fass.—Itype) E78—15/1 (Pass.—Itype) C7.00—15/(Truck—Itype) C7.00—15/(Truck—Itype) C7.00—15/(Truck—Itype) C7.00—15/(Truck—Itype) C7.00—15/(Truck—Itype)	Highway Bias Belted Ply On-Off Road Bias	(5) Front, rear and spare (2) Front; C10 models only (3) Front and spare; C10	6.00 6.00	(Factory RL5					
Pass. — Fype)	Highway Bias Belted Ply On-Off Road Bias	(2) Front; C10 models only(3) Front and spare; C10		RL5					
	On-Off Road Bias		-	RLS	10 12	21 0	\$ 1.40 .56	\$ 37.00 14.80	\$ 38.40 15.36
7.00-15/(Truck—Itype) E78-15/I(Pass.—Itype) G78-15/1	Bias	models only	6.00	RL5	10	8	.84	22.20	23.04
Pass. — I ype) — (Belted Ply	 (5) Front, rear and spare; K10 models only (2) Rear; C10 models only (3) Rear and spare; C10 	6.00 6.00	RL4 RL4	11 0	21 13	1.40 .56	37.00 14.80	38.40 15.36
Pass. — I ype) — (models only	6.00	RL4	7	13	.84	22.20	23.04
7.00-15/0 (Truck—I (Truck—I (Type) 1 (Type) 1 (Pass.—I (Pass.—I (Pass.—I	Highway Original	(5) Front, rear and spare (2) Front; C10 models only	5.00 5.00	R61 R61	12 13	20 0	2.10 .84	66.00 26.40	68.10 2 7.24
7.00-15/(Truck—1 type) I	Equipment	(3) Front and spare; C10 models only	5.00	R61	12	7	1.26	39.60	40.86
(Truck—I type)	On-Off Road Original Equipment	 (5) Front, rear and spare; K10 models only (2) Rear; C10 models only (3) Rear and spare; C10 	5.00 5.00	R69 R69	14 0	31 16	2.10 .84	66.00 26.40	68.10 27.24
(Truck—I type)		models only	5.00	R69	-1	26	1.26	39.60	40.86
E78-15/1 (Pass. — type) G78-15/1	C (6PR) Maxi Highway Nylon	mum Tire Capacity (Each)- (5) Front, rear and spare (2) Front; C10 models only (3) Front and spare; C10	6.00	720) Rear (1 R44 R44	23 N.A.	42 N.A.	3.70 1.48	133.50 53.40	1 37.2 0 54.88
E78-15/1 (Pass. — type) G78-15/1	On-Off Road	models only	6.00	R44	N.A.	N.A.	2.22	80.10	82.32
(Pass. — type) G78 –15/1	Nylon	K10 models only		R43 R43	28 0	52 32	5.80 2.32	133.50 53.40	139.30 55.72
(Pass. — type) G78 –15/1		models only		R43	-4	52	3.48	80.10	83.58
(Pass. — type) G78 –15/1	<u> </u>	TUBELESS	TIRES	Factory	Installe	<u>∌d)</u>			
	/B -Highway Bias Belted Ply	(5) Front, rear and spare	6.00	Std			N.C.	N.C.	N.C.
type)	-Highway Bias	(5) Front, rear and spare (2) Front; C10 models only (3) Front and spare; C10		PU7 PU7	7 8	13 0	1.65 .66	34.00 13.60	35.65 14.26
•	Belted Ply	models only	. 6.00	PU7	7	5	.99	20.40	21.39
	0 0// D 1	(White Stripe)	6.00	PU8	7	13	1.65	65.60	67.25
	-On-Off Road Bias Belted Ply	(5) Front, rear and spare; K10 models only	6.00 6.00	RL3 RL3	11	19 12	1.65 .66	34.00 13.60	35.65 14.26
	/=	models only	· 6.00	RL3	-1	19	.99	20.40	21. 3 9
type)	/B -Highway Bias Belted Ply	(5) Front, rear and spare(2) Front; C10 models only(3) Front and spare; C10		PV5 PV5	12 13	20 0	2.80 1.12	57.00 22.80	
	201102 2 17	models only	. 6.00	PV5	12	7	1.68	34.20	35.88
_	-On-Off Road	(White Stripe)	. 6.00	PV6	12	20	2.80	91.70	
	Bias Belted Ply	K10 models only	. 6.00	RM1 RM1	13	26 16 24	2.80 1.12	57.00 22.80	23.92
L78 -15/	/R	models only	6.00	RM1	<u>-1</u>		1.68	34.20	
(Pass	Highway Bias Belted Ply	(5) Front, rear and spare(2) Front; C10 models only(3) Front and spare; C10	. 6.00	Q15 Q15	16 18	29 0	4.15 1.66	103.00 41.20	42.86
	= 	models only	. 6.00	Q15	16	11	2.49	61.80	
_	On-Off Road Bias	(White Stripe)		Q14 Q16	16 18	29 32	4.15 4.15	144.00 146.50	150.65
	Belted Ply	(2) Rear; C10 models only(3) Rear and spare; C10	. 6.00	Q16	0 -2	20 32	1.66 2.49	58.60 87.90	
		models only	. 6.00	Q16				51.90	30.5
10.00-10				PE TIRES	i (Facto	ry ins	italled)		
(Truck- type)	16.5/C (SPR) R	TUBELESS FLOTATI	ON-TY			ry ins	talled)	-	

[§] D&H amounts reflect provision for pass through of tire weight tax imposed on manufacturer or importer of tires. State and local taxes not included.

BLAZER—STANDARD MODEL

The standard model includes the following items as standard equipment.

EXTERIOR FEATURES



• Bright Appearance Items:

Chevrolet Emblem: Mounted center of grille with bright outer edge and blue paint fill

"K/5 Blazer" Nameplate: Side of each front fender

Door Entry Handles

Door Lock Cylinder Assemblies

Grille: Bright anodized aluminum outer area and inner plastic grid with black and gray colors

Headlamp Bezels

Mirrors: Chrome RH & LH

Bumpers: Front and rear; painted white

• Color: See Exterior and Interior Color Selection Chart

• Doors: RH and LH side doors and tailgate

• Glass: Windshield only

· Lights:

Back-up lights: two rear Combination parking/direction/hazard: two front Class A Combination tail/stop/direction/hazard: two rear Class A Headlights: Two; Power Beam License Plate: Single rear Side Marker and Reflectors: two front and two rear

- Mirrors: RH & LH chrome fixed arm with $4\frac{1}{2}$ " x 6" head
- Horn: Single; low note; electric
- Hub Caps: Painted white with black and blue trim (CS/CE models only)
- Tools: Mechanical jack; wheel wrench
- Undercoating: Partial on underbody and full under front and rear wheelhousings
- Wheels: Painted white
- Windshield Wipers and Washers: Electric; 2-speed wipers with matte finish on wiper arms and blades

INTERIOR FEATURES


- Air Vents: RH and LH cowl side; individually controlled
- Arm Rests: RH and LH integral with door trim panel
- Ash Tray: Mounted middle of instrument panel
- Colors:

Paint: Same as main exterior color choice Trim Color Choice of parchment, black or blue

- Door Locks: Inside; pushbutton lock/release
- Door Seals: Closed-cell-type rubber
- Door Trim Panels: Embossed molded plastic
- Floor Mats: Front only; embossed black rubber
- Instruments

Gauges: Speedometer, odometer, and fuel
Switches: Exterior lights, instrument lights, and dome lights;
wiper-washer; headlight beam (foot); ignition, direction
signal with lane change position and hazard warning
Warning Lights: Generator, oil pressure, engine temperature,
brake warning, direction signals-hazard and high beam

- Instrument Cluster Bright Trim: Outer edge and bezels
- Instrument Panel Pad: Top of panel
- Heater and Defroster: Deluxe-air
- Interior Lights: Instrument cluster operated by main light switch
- Insulation and Deadening Material: Dash (firewall) and under the floor mat
- Mirror, Rearview: 10" vinyl-edged; prismatic




- Seat: Driver only; bucket type with vinyl trim and foam padding
- Seat Belts: Includes retractor; pushbutton release; driver only
- Steering Wheel: Painted; oval 17" x 171/2", 2-spoke
- Sunshade: LH padded
- Scuff Plate: Door opening protection and floor mat retainer
- Spare Tire Mounting: On floor behind driver seat

K/5 Blazer—Page 10

CUSTOM SPORT TRUCK (CST) MODEL OPTION-RPO Z84

(This option includes all standard items except for the following additions or substitutions)

EXTERIOR FEATURES



Bright Metal Appearance Items:

"Chevrolet" Tailgate Trim Panel with woodgrain insert and upper trim molding

Chrome front and rear bumper

Chrome fuel tank cap

"CST" Nameplate: Side of each front door

Lower side trim moldings with woodgrain insert

Tail and Backup light bezels

Ventipane frames (Included when optional top or side door glass is ordered)

Windshield Reveal Moldings

• Horn: Additional; high note; electric

Special Cowl Insulators

- Special Side Marker Lights/Reflectors with bright trim
- **Undercoating:** Full underbody sprayed with mastic coating

INTERIOR FEATURES

Bright Metal Appearance Items:

Control Knob Inserts

4-Speed Transmission Shift Lever


Transfer Case Shift Lever (4-Wheel-Drive models)

Trim moldings on clutch, service brake, parking brake, and accelerator pedals

Rear Compartment Trim Panel Retainers

• Cigar Lighter

- Floor Covering: Color-keyed carpeting (when optional top is ordered) or rubber color-keyed (without optional top). Rear compartment floor covering provided only with optional rear seat.
- Seats: Bucket seats with console; driver and passenger; all vinyl trim available in choice of black, blue, saddle, parchment, or olive
- Spare Tire Cover: (Included when optional top is ordered)



Optional 3-passenger rear seat also shown in illustration.

- Sunshade: RH padded (without optional top)
- Trim Panels: Molded plastic with wood-grained inserts and bright trim for front doors; embossed vinyl for rear compartment sidewalls (included when optional top is ordered)

January 28, 1972 K/5 Blazer—Page 11

K/5 BLAZER INTERIOR AND EXTERIOR COLOR CHART

All orders for these models must show one of the following interior trim codes on the order form

IMPORTANT

Dealer Note: Exterior and interior combinations shown in chart below are those recommended by Chevrolet; however, any exterior color may be ordered with any available interior color if the particular combination is desired by a customer.

BLAZER MODELS

INTERIOR TYPE				INTERI	OR TRIM	COLOR AN	D CODE		
	Type of Seat	Avocado	Black	Blue	Gray	Orange	Olive	Parch- ment	Saddle
Standard Interior	Vinyl Bucket		668	674				694	
(A50) Bucket Seats	Vinyl Bucket		670	676				694	
(Z84) Custom Sport Truck-Vinyl	Vinyl Bucket		670	676			698	694	688
(Z84) Custom Sport Truck— Highlander Flaid (with auxiliary top only)	Cloth/Vinyl Bucket	680		677	671	686			
EXTERIOR COLOR									
SOLID	Option Number								
Black, Midnight	500	Х	X	X	X	Х		Х	Х
Blue, Hawaiian	510		Х	X	X			Х	
Blue, Mariner	523		Х	X	X			Х	
Bronze, Classic	522		Х		Х			Х	X
Gold, Spanish	511		Х		X			Х	X
Green, Glenwood	505		Х		Х			Х	
Green, Meadow	518		Х		X			Х	
Green, Spruce	506	Х			X		Х	X	
Green, Willow	504	Х	X		X		Х	Х	Х
Orange, Firebolt	524		Х		X	X		Х	
Orange, Tangier	516	Х	Х		Х	X		Х	
Red, Crimson	514		Х		X			Х	X
White, Frost	521	Х	Х	X	Х	X	X	Х	Х
Yellow, Grapefruit	525	Х	X		Х	X		Х	·X
Yellow, Wheatland	519		Х		Х	Х		Х	