



H3

2008





NEW VORTEC 5.3L V8

<b>300</b>	<b>320<sup>lb-ft</sup></b>	<b>6000<sup>lb.</sup></b>	<b>33.1:1</b>
HORSEPOWER	TORQUE	TOWING CAPACITY	CRAWL RATIO

4-SPEED HYDRA-MATIC 4L60-E AUTOMATIC TRANSMISSION





*More horsepower. More torque. More towing capacity. More. The 2008 H3 Alpha.*

# H3 to the power of Alpha.

The HUMMER H3 — the midsize SUV that strikes a perfect balance between off-road capability, on-road comfort and efficiency, becomes more powerful. Introducing the ultimate H3 — the H3 Alpha. Part of the higher echelon of HUMMER vehicles, the Alpha is versatile both on- and off-road and features a rippling 5.3L V8 engine with 300 well-domesticated horses to get you “out there” even faster. The V8 is coupled with an electronically controlled four-speed automatic transmission and enables you to tow up to 6,000 pounds. On the inside are newer refinements like a standard leather-appointed interior, optional rear vision camera system for parking assistance, and an in-dash 6-disc CD changer with a premium 7-speaker sound system. And on the outside, a prominent “Alpha” tailgate badge heralds your departure from the ordinary and your arrival into a whole new class.

The 2008 H3 Alpha. The perfect combination of performance, power, capability and luxury in a midsize SUV. And a vehicle that is truly Like Nothing Else.





# H3

Every HUMMER is designed to do something remarkable. Choose the one that is right for you and then make it your own through a variety of trim packages, color and interior options.



H3



H3 ALPHA



H3<sup>X</sup>


## Models, trims, colors and more.

**H3** The midsize HUMMER that is fully off-road capable. Its smaller size makes it more nimble, more fuel efficient\* and easier to drive than any HUMMER before it.

**H3 ALPHA** The H3. Only more powerful. Featuring more horsepower, more torque, more towing capacity. The H3 Alpha excels both on- and off-road. Also available in combination with the H3<sup>X</sup>.

**H3<sup>X</sup>** It's the H3 remixed. A HUMMER that takes its inspiration from the city. With chrome accents, chrome wheels, bright roof rack crossbars and a host of other accessories.

\*EPA estimated mpg 14 city/18 highway





## 2008 H3 TRIM LEVELS

### H3 ADVENTURE

Includes fully locking electronic rear differential, 4.03:1 2-speed transfer case, 33-in. LT285/75R16C on-road/off-road tires, in-dash 6-disc CD changer with 7-speaker Monsoon® sound system.

### H3 LUXURY

Leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, fabric cargo cover, front and rear oversized carpeted floor mats.

### H3 LUXURY WITH OFF-ROAD SUSPENSION OPTION

Combined for the ultimate on- and off-roading experience.

### H3 ALPHA


Vortec 5.3L V8 engine, Hydra-matic 4L60-E 4-speed automatic transmission, leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, 16-in. chrome wheels, chrome door handles and mirror caps, universal remote with lighted vanity mirror, fabric cargo cover, rear Alpha tailgate badge, Alpha embroidered headrests, Alpha horn badge, front and rear oversized carpeted floor mats.

### H3<sup>X</sup>


Unique square cornered chrome wrap-around brush guard, body color grille, 18-in. chrome wheels, P265/65R18 on-road/off-road tires, body color hard spare tire cover with chrome accent, H3 logo embroidered in front seat headrests. Two unique paint colors: Carbon Flash Metallic and Sonoma Red Metallic.

Also includes leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, chrome door handles and mirror caps, chrome tubular assist steps, chrome fuel filler door. Bright roof rack crossbars. Fabric cargo cover. Front and rear oversized carpeted floor mats.


## 2008 H3 EXTERIOR AND INTERIOR OPTIONS



01




02




03


- 01. Black
- 02. Birch White
- 03. Victory Red



04




05




06


- 04. Boulder Gray Metallic
- 05. Midnight Blue Metallic
- 06. Graphite Metallic
- 07. Solar Flare Metallic (Additional cost)



07



08



09

- 08. Carbon Flash Metallic (H3<sup>X</sup> exclusive color, Additional cost)
- 09. Sonoma Red Metallic (H3<sup>X</sup> exclusive color)
- 10. Ebony w/ Pewter Seat Inserts
- 11. Ebony w/ Light Cashmere Seat Inserts
- 12. Ebony w/ Red Seat Inserts
- 13. Ebony w/ Pewter Piping
- 14. Ebony w/ Morocco-Toned Seat Inserts and Piping
- 15. Light Cashmere w/ Ebony Piping

### STANDARD CLOTH SEATING APPOINTMENTS



10



11



12

### OPTIONAL LEATHER APPOINTED SEATING



13



14



15

## 2008 H3 AND H3 ALPHA TECHNICAL SPECIFICATIONS

	H3	H3 ALPHA
<b>ENGINE</b>		
<b>TYPE</b>	Vortec 3700 3.7L cast-aluminum block and cylinder head	Vortec 5.3L V8 cast-aluminum block and cylinder heads
<b>HORSEPOWER</b>	242 hp @ 5600 rpm (SAE)	300 hp @ 5200 rpm (SAE)
<b>TORQUE</b>	242 lb-ft @ 4600 rpm	320 lb-ft @ 4000 rpm
<b>FUEL INJECTION TYPE</b>	Multi-point sequential fuel injection	Multi-point sequential fuel injection
<b>DISPLACEMENT</b>	223 cu. in.	325 cu. in.
<b>BORE AND STROKE</b>	3.76 x 4.00	3.78 x 3.62
<b>COMPRESSION RATIO</b>	10.0:1	9.9:1
<b>CRAWL RATIO</b>	BASE VEHICLE: 45.0:1 WITH OPTIONAL OFF-ROAD SUSPENSION PACKAGE: 69.0:1	BASE VEHICLE: 33.1:1 WITH OPTIONAL OFF-ROAD SUSPENSION PACKAGE: 50.6:1
<b>FUEL CONSUMPTION</b> (EPA estimate)	MANUAL TRANSMISSION: 13 mpg city/18 mpg highway AUTOMATIC TRANSMISSION: 14 mpg city/18 mpg highway	AUTOMATIC TRANSMISSION: 13 mpg city/16 mpg highway
<b>RECOMMENDED FUEL</b>	Regular unleaded	Regular unleaded
<b>TRANSMISSION</b>		
	Standard 5-speed manual or optional Hydra-Matic 4L60-E 4-speed automatic	Hydra-Matic 4L60-E 4-speed automatic
<b>DRIVETRAIN</b>		
	2-speed, electronically controlled, full-time 4WD	2-speed, electronically controlled, full-time 4WD
<b>TRACTION CONTROL SYSTEM (TCS)</b>		
	Brake-controlled, single-wheel control capability with rear axle electronic locking differential	Brake-controlled, single-wheel control capability with rear axle electronic locking differential
<b>STEERING</b>		
	Power-assisted, rack-and-pinion	Power-assisted, rack-and-pinion
<b>BRAKES</b>		
	Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed fixed front caliper/single-piston sliding rear caliper with Dynamic Rear Proportioning	Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed fixed front caliper/single-piston sliding rear caliper with Dynamic Rear Proportioning
<b>FRONT SUSPENSION</b>		
	Independent SLA torsion bars, 46 mm monotube gas-charged shocks and 36 mm tubular stabilizer bar	Independent SLA torsion bars, 46 mm monotube gas-charged shocks and 36 mm tubular stabilizer bar
<b>REAR SUSPENSION</b>		
	Multi-leaf, semi-elliptic dual-stage leaf spring, 46 mm monotube gas-charged shocks and 25 mm rear stabilizer bar	Multi-leaf, semi-elliptic dual-stage leaf spring, 46 mm monotube gas-charged shocks and 25 mm rear stabilizer bar
<b>FRAME</b>		
	Fully welded steel	Fully welded steel
<b>WHEELS &amp; TIRES</b>		
	16 x 7.5-in. aluminum wheels, 32-in. P265/75R16 all-terrain steel-belted tires with full-size spare tire	16 x 7.5-in. thin spoke chrome wheels, 32-in. P265/75R16 all-terrain steel-belted tires with full-size spare tire
<b>WEIGHTS &amp; CAPACITIES</b>		
<b>GVWR</b> (lb.) NOTE 1	6,001	6,001
<b>CURB WEIGHT</b> (lb.)	4,700	4,851
<b>PAYLOAD, MAXIMUM</b> (lb.) NOTE 2	1,150	1,150
<b>TRAILERING, MAXIMUM</b> (lb.) NOTE 3	4,500	6,000
<b>FUEL TANK CAPACITY</b> (gal.)	23	23

## H3 AND H3 ALPHA

### EXTERIOR DIMENSIONS (in.)

OVERALL HEIGHT	73.0
OVERALL WIDTH (INCLUDES SIDEVIEW MIRRORS)	85.6
OVERALL LENGTH (WITH REAR TIRE CARRIER) <b>NOTE 4</b>	188.1
WHEELBASE	111.9
<b>OVERHANG</b>	
FRONT	31.6
REAR	35.2
<b>TRACK WIDTH</b>	
FRONT	65.0
REAR	65.5

### INTERIOR DIMENSIONS (FIRST-ROW MEASUREMENTS, in.)

HEADROOM (WITHOUT SUNROOF)	40.7
SHOULDER ROOM	54.4
HIP ROOM	53.8
LEGROOM	41.9

### CARGO DIMENSIONS **NOTE 5**

LENGTH (BEHIND REAR SEAT, in.)	32.0
WIDTH (AT FLOOR, in.)	50.1
VOLUME (WITH REAR SEAT DOWN, cu. ft.)	56.4

### OFF-ROAD CLEARANCES

<b>GROUND CLEARANCE (in.)</b>	
STANDARD 32" TIRES	8.5
OPTIONAL 33" TIRES	9.1

### APPROACH ANGLE

STANDARD 32" TIRES	37.0°
OPTIONAL 33" TIRES	39.0°

### DEPARTURE ANGLE **NOTE 6**

STANDARD 32" TIRES	35.5°
OPTIONAL 33" TIRES	36.5°

### BREAKEVER ANGLE

STANDARD 32" TIRES	23.5°
OPTIONAL 33" TIRES	25.0°

### PERFORMANCE

<b>0-60 MPH:</b> <b>NOTE 7</b>	H3 9.7 sec. H3 ALPHA 8.2 sec.
<b>TURNING CIRCLE:</b>	37 ft.
<b>GRADE CAPABILITY:</b>	60%
<b>SIDE SLOPE CAPABILITY:</b>	40%
<b>WATER FORDING DEPTH:</b>	24 in. @ 5 mph; 16 in. @ 20 mph
<b>VERTICAL SCALING HEIGHT:</b>	16 in.

## STANDARD AND OPTIONAL FEATURES

### STANDARD INTERIOR EQUIPMENT

Power windows, including "express down" driver window  
 Power door locks  
 Seating for five  
 Cloth seats  
 Fold-down 60/40 split rear seat  
 Electric rear window defogger  
 Manually controlled front air conditioning system with electronic controls  
 AM/FM stereo with CD player  
 Driver Information Center with up to 22 alerts  
 Two 12-volt auxiliary covered power outlets in front; one covered outlet in the rear cargo area  
 Tuflor™ rubberized flooring in cargo area  
 Five assist handles  
 Cruise control  
 Electrochromic rearview mirror with 8-point compass, outside temperature display and OnStar controls  
 Retained accessory power  
 2.64:1 2-speed transfer case  
 XM Radio with 3 trial months of service **NOTE 8**

### STANDARD EXTERIOR EQUIPMENT

One-piece swing gate with assist strut  
 Swing gate mounted full-size spare tire  
 Fog lamps  
 Dual composite halogen headlamps  
 Full underbody protection  
 Front and rear recovery hooks  
 4-wheel disc brakes with ABS

### STANDARD SAFETY AND SECURITY FEATURES

OnStar® with a 1-year Safe & Sound service plan **NOTE 9**  
 Dual front air bags with Passenger Sensing System **NOTE 10**  
 Head curtain side air bags **NOTE 10**  
 Remote keyless entry with panic button  
 TheftLock™ for radio  
 StabiliTrak Stability Enhancement System  
 Traction Control System (TCS)  
 Content alarm theft deterrent system  
 PASSLock® theft deterrent vehicle security system  
 Battery rundown protection  
 Rear door child security locks  
 LATCH child seat anchors  
 Daytime running lamps  
 Tire pressure monitoring system (TPM) **NOTE 11**  
 HUMMER 100,000-Mile/5-Year Transferable Powertrain Warranty **NOTE 12**

### OPTIONAL EQUIPMENT

Sliding glass sunroof with "express open" and "express close"  
 Hydra-Matic 4L60-E 4-speed automatic transmission (STANDARD ON H3 ALPHA)  
 Chrome Appearance Package (includes door handles and mirror caps)  
 Trailer hitch and wiring harness  
 16 x 7.5-in. chrome wheels  
 In-dash 6-disc CD changer with premium 7-speaker Monsoon® sound system  
 Off-Road Suspension Package (fully locking electronic rear differential, 4.03:1 2-speed transfer case, 33-in. LT285/75R16C on-road/off-road tires)  
 Universal Remote with lighted vanity mirrors  
 Navigation Radio **NOTE 13**  
 Rear vision camera system  
 Power-adjustable driver cloth seat

Learn more at [www.HUMMER.com](http://www.HUMMER.com)

**NOTE 1:** GVWR (Gross Vehicle Weight Rating) includes vehicle, passengers, equipment and cargo. GVWR availability may vary depending on equipment selected. **NOTE 2:** Payload includes passengers, equipment and cargo. **NOTE 3:** 4,500 lb. trailering capability for H3 with automatic transmission; manual transmission has a 3,000 lb. maximum trailering capability, 6,000 lb. trailering capability for H3 Alpha. Trailer tongue weight should be 10%–15% of total loaded trailer weight, up to 500 lb. Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of other optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your HUMMER dealer for additional details. **NOTE 4:** This data applies to models without optional accessories. Consult your HUMMER dealer for dimensions with other optional accessories. **NOTE 5:** Cargo and load capacity are limited by weight and distribution. **NOTE 6:** This data applies to models without hitch and optional accessories. Consult your HUMMER dealer for dimensions with other optional accessories. **NOTE 7:** This data applies to models with an automatic transmission and 32" tires. **NOTE 8:** Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after three trial months. For more information, visit gm.xradio.com. **NOTE 9:** Call 1.888.4.ONSTAR (1.888.466.7827) or visit [www.onstar.com](http://www.onstar.com) for system limitations and details. **NOTE 10:** Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child, or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner's Manual and child safety seat instructions for more safety information. **NOTE 11:** Does not monitor spare tire. **NOTE 12:** Whichever comes first. See dealer for limited warranty details. **NOTE 13:** Navigation map only covers the 48 contiguous United States and portions of Canada, but does not cover Alaska, Hawaii, Puerto Rico or the Virgin Islands.

# HUMMER®

PLEASE CALL 1.800.REAL.4WD OR VISIT OUR WEB SITE AT WWW.HUMMER.COM.

**IMPORTANT WORDS ABOUT THIS CATALOG** We have tried to make this catalog comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your HUMMER dealer for complete details. HUMMER reserves the right to lengthen or shorten the model year for any product for any reason or to start and end model years at different times.

**ASSEMBLY** HUMMER vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce HUMMER vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

**ENGINES** HUMMER products are equipped with engines produced by GM Powertrain or other suppliers to GM worldwide. The engines in HUMMER products may also be used in other GM makes and models.

**A NOTE ABOUT CHILD SAFETY** Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner's Manual and child safety seat instructions for more safety information.

**ONSTAR** OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Subscription Service Agreement is required. Call 1.888.4.ONSTAR (1.888.466.7827) or visit [onstar.com](http://onstar.com) for OnStar's Terms and Conditions, Privacy Policy, and system limitations and details. For coverage maps, visit [onstar.com](http://onstar.com) and click on "OnStar service and coverage map."

**REVISIONS TO ESTIMATED FUEL ECONOMY** Commencing with 2008 model year vehicles, EPA revised its methods for estimating vehicle fuel economy. The new test methods will likely lower MPG estimates as compared to 2007 and previous model year vehicles. These new methods are intended to better represent current driving styles, varying road and weather conditions and certain other external factors.

**ADDITIONAL NOTES** Monsoon is a registered trademark of Delphi Corporation. OnStar is a registered trademark of OnStar Corporation. Safe and Sound is a service mark of OnStar. Tufior is a registered trademark of Collins & Aikman Corporation. PASSLock is a registered trademark of General Motors Corporation. The XM name and related logo are registered trademarks of XM Satellite Radio, Inc. Pictured vehicles may vary from actual production models and may feature optional accessories or equipment. Details and specifications may vary according to local regulations and conditions. The photography in this brochure features the HUMMER in environmentally approved areas for off-road use. H3, H3<sup>X</sup>, H3 Alpha, Like Nothing Else and Vortec are trademarks of General Motors Corporation. HUMMER and the vehicle's grille design are registered trademarks of General Motors Corporation. © 2007 General Motors Corporation.

